



CM-2400 Machine System



The **CM-2400** series machine provides an **economical, high production** machine with **low power requirements** and reduced weight/size in your truck/trailer system.

The **simple design** and minimal moving parts provide a machine that is **low maintenance** and easy to repair.

This compact, **robust** machine with its various options, will out-perform and out-last any machine in its class.

Production Rate:

	<u>Material</u>	<u>Production Rate</u>
30.5 cm Airlock	Cellulose	1361 kg/hr.
	Fiberglass	454 kg/hr.
	Rockwool	817 kg/hr.

	<u>Material</u>	<u>Production Rate</u>
40.6 cm Airlock	Cellulose	1633 kg/hr.
	Fiberglass	635 kg/hr.

Questions ? Call us +31206923545



Machine Shown
with Options


CM-2400S 'Standard'

Features & Benefits



Slow speed 'scalping' augers extend component life and enhance safety.

High speed turbo-shredder maximizes conditioning, coverage, and production.



L.E.D. lighted plugs and receptacles for quick electrical diagnostics.

Gearbox/Motor for low cost replacement.



Specifications:

- **Weight:** 327 kg (2 Blower Box)
340 kg (4 Blower Box)
354 kg (PD Blower)
- **Dimensions:** 158 cm l x 59 cm w x 183 cm h
(183cm h w/ Hopper Extension Option)
- **Hopper Capacity:** 0.42 m³
(0.74 m³ w/ Hopper Extension)
- **Airlock Options:**
(280 mbar - 2 blr / 440 mbar - 4 blr & PD blr)
 - Ø30.5 cm x 30.5 cm L, 7.6 cm output tube.
 - Ø30.5 cm x 40.6 cm L, 7.6 cm output tube.
- **Drive Motor Options:** 1 1/2 h.p. or 2 h.p.
- **Blower Options:**
 - 7 amp. / 240 m³/hr. (2 or 4 Blower Box)
 - 5 h.p. / 380 m³/hr. (PD Blower)
- **Power Requirements:**
 - 10/10 amp., 230 volt double input (2 Blr. Box)
 - 10/10/10 amp., 230 volt triple input (4 Blr. Box)
 - 10 amp., 380 volt 3-phase single input (PD Blower)

Additional Machine Options

- 12.7 cm dia. caster wheel package
- Full Hopper Extension (pictured)
- Wireless Remote System
- CE conformity f/export

Blower Comparison



Blower Box (Containing 2 or 4 Centrifugal Blowers)

This option offers an economical choice that will meet most contractors' needs. The service life of the blower is approx. 1200 to 1500 hrs., and can be replaced for a few hundred dollars each.

5 h.p. Positive Displacement (P.D.) Blower

Excellent performance for long range delivery up to 60 m. Includes all of the features and benefits of the large hopper capacities with adequate air for blowing at a lower 'price' with lower 'power' requirements.



Questions ? Call us +31206923545

CM-2400VH 'Vac Hood'



*Machine Shown
with Options

Specifications:

- **Weight:** 463 kg (2 Blower Box)
476 kg (4 Blower Box)
490 kg (PD Blower)
- **Dimensions:** 173 cm l x 59 cm w x 186 cm h
- **Hopper Capacity:**
 - Dry: 0.32 m³ (0.48 m³ w/ Hopper Extension)
 - Recycle: 0.2 m³
 - Total: 0.68 m³
- **Airlock Options:**
(275 mbar - 2 blr / 440 mbar - 4 blr & PD blr)
• 30.5 cm dia. x 40.6 cm long, 7.6 cm output tube.
- **Drive Motor Options:** 1 1/2 h.p. or 2 h.p.
- **Blower Options:**
 - 7 amp. / 240 m³/hr. (Blower Box)
 - 5 h.p. - P.D. Blower/ 380 m³/hr.
- **Power Requirements:**
 - 10/10 amp., 230 volt double input (2 Blr. Box)
 - 10/10/10 amp., 230 volt triple input (4 Blr. Box)
 - 10 amp., 380 volt 3-phase single input (PD Blower)

Features & Benefits



Innovative Vacuum Hood provides a multi-function machine system.

Separate recycle and dry feed-gate control for precise metering of fibers.



Anti-bridging agitators promote smooth flowing recycle fiber.



Removable internal Hopper partition for high production blowing.



Additional Machine Options

- 12.7 cm dia. caster wheel package
- Hopper Extension for Divided Hopper (pictured)
- Wireless Remote System
- CE conformity f/export

Why use Vac-Hood Technology?

Economical with low power requirements. (16 h.p Gas vacuum or larger recommended) Added Gas Vacuum offers a 'dual' purpose machine used for wall cavity recycle or can be deployed to a separate job location for attic insulation removal, while CM-2400 completes other jobs.



Questions ? Call us +31206923545

Truck/Trailer Systems

Truck/Trailer

- Available as 'Turn Key' Systems out-the-door or as Retro-fit systems for your truck or trailer
- On-board Water Tank and Hose Reel options
- Portable generators and PTO systems mounted for efficient cooling and safe exhaust
- Cool Machine Air Intake w/ Filter attached thru floor
- Designed for quick set-up and efficient use



Machine Accessories



Hose Reels



Hoses & Fittings



Water Tanks



Generators



Water Pumps



Wall Scrubbers



Spray Equipment



Vacuum Wands

Cutting Edge Cool!

Questions ? Call us +31206923545