IN2-GROUTING

GROUTING FOR FILLING SMALL CRACKS AND HOLES IN CONCRETE SURFACES

IN2-GROUTING is a construction material for filling small cracks, holes and the pores of concrete surfaces.

While griding, IN2-GROUTING mixes with the released dust and forms a filling paste that exactly matches the colour of the floor, filling all irregularities for a magnificent, smooth result.



- + Automatically matches the floor's colour
- + Very easy to use
- + Top quality product
- + Not expensive



Apply IN2-GROUTING with a sprayer. Grind the surface with metal bond diamond and add small amounts of water.

The grouting will mix with the released dust and form a paste matching the exact colour of the floor, filling all irregularities.

Let the paste dry for 12 hours after grinding, and then grind away the excess material with resin bond diamond tools.

For the best result, polish afterwards with a densifier (For example: IN2-DENSIFY).

Consumption: 50m²/L



 Dispose of waste safely in accordance to local / national prescriptions

| TECHNICAL INFO | |
|----------------------|--|
| Shape | White substance with characteristic odour |
| рН | 6,0 - 9,0 |
| Freezing point | 0°C |
| Boiling point | 100°C |
| Relative density | 1,00g/cm ³ (at 20°C) |
| | |
| Solvability in water | 100% |
| VOC Amount | Max 0,05 |
| Use tempaterature | 5°C - 40°C |
| Storage | Store in a frost free, well ventilated place not in immediate sunlight |
| Storage life | 6 months |
| Consumption | 50m²/L |



Safety isn't expensive, it's priceless. Always work safe!



- Wear safety shoes, safety glasses, gloves, a helmet and other protective clothing.
- When working with chemicals, wear a mouth mask.
- Avoid excessive breathing of vapors or mists, especially in poorly ventilated areas.
- Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.
- When feeling unwell or experiencing irritation on skin, eyes or inhalation, consult a doctor immediately.
- Consult the MSDS for more detailed information.



Technical questions? Contact your local distributor.



PDS IN2-GROUTING - last edited 05/02/2019