

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 PRODUCT IDENTIFIER

Trade name

IN2-CLEAN

Registration number (REACH)

Not relevant (mixture)

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses

Professional use
Industrial use

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

IN2-CONCRETE BVBA
Lange ambachtstraat 10
9860 Oosterzele
Belgium

Telephone: +32 498 35 80 57
e-mail: info@in2-concrete.com
Website: www.in2-concrete.com

e-mail (competent person)

Tdw@in2-concrete.com

1.4 EMERGENCY TELEPHONE NUMBER

Emergency information service

+32 498 35 80 57
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

SECTION 2: Hazards identification

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

Code	Supplemental hazard information
EUH208	Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction

For full text of abbreviations: see SECTION 16.

2.2 LABEL ELEMENTS

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word

Warning

- pictograms

GHS07



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

- hazard statements
H319 Causes serious eye irritation.
- precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
- supplemental hazard information
EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3 OTHER HAZARDS

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.




SECTION 3: Composition/information on ingredients

3.1 SUBSTANCES

Not relevant (mixture)

3.2 MIXTURES

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
2-Butoxyethanol	CAS No 111-76-2 EC No 203-905-0 Index No 603-014-00-0	1 – 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319		GHS-HC IOELV		
Trisodium nitrilotriacetate	CAS No 5064-31-3 EC No 225-768-6 Index No 607-620-00-6 REACH Reg. No 01-2119519239-36-xxxx	1 – 5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351	 	GHS-HC	Carc. 2; H351: C ≥ 5 %	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Isotridecanol, ethoxylated	CAS No 69011-36-5 EC No 500-241-6 REACH Reg. No 01-2119976362-32-xxxx	1 – 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412				
(R)-p-mentha-1,8-diene	CAS No 5989-27-5 68606-81-5 EC No 227-813-5 REACH Reg. No 01-2119529223-47-xxxx	0.1 – < 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
IOELV: Substance with a community indicative occupational exposure limit value

REMARKS

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 DESCRIPTION OF FIRST AID MEASURES

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Wash with plenty of soap and water. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms and effects are not known to date.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 ADVICE FOR FIREFIGHTERS

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

6.4 REFERENCE TO OTHER SECTIONS

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations

- measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Managing of associated risks

- flammability hazards
Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.
- incompatible substances or mixtures
Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as
High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 SPECIFIC END USE(S)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 CONTROL PARAMETERS

NATIONAL LIMIT VALUES

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
EU	2-Butoxyethanol	111-76-2	IOELV	20	98	50	246		2000/39/EC
GB	2-Butoxyethanol	111-76-2	WEL	25	123	50	246		EH40/2005
GB	Cycloalkanes (>C7)	5989-27-5	WEL		800				EH40/2005

Notation

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Notation

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	2-Butoxyethanol	2-Butoxyacetic acid	Crea	BMGV	240 mmol/mol	EH40/2005

Notation

crea Creatinine

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-Butoxyethanol	111-76-2	DNEL	246 mg/m ³	Human, inhalatory	Worker (industry)	Acute - local effects
2-Butoxyethanol	111-76-2	DNEL	89 mg/kg	Human, dermal	Worker (industry)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	1,091 mg/m ³	Human, inhalatory	Worker (industry)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	125 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	98 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	26.7 mg/kg	Human, oral	Consumer (private households)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	89 mg/kg	Human, dermal	Consumer (private households)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	426 mg/m ³	Human, inhalatory	Consumer (private households)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	6.3 mg/kg	Human, oral	Consumer (private households)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	75 mg/kg	Human, dermal	Consumer (private households)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	59 mg/m ³	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	294 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	2,080 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	87 mg/m ³	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	1,250 mg/kg bw/day	Human, dermal	Consumer (private households)	Chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	25 mg/kg bw/day	Human, oral	Consumer (private households)	Chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	DNEL	66.7 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	DNEL	9.5 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	DNEL	16.6 mg/m ³	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	DNEL	4.8 mg/kg bw/day	Human, dermal	Consumer (private households)	Chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	DNEL	4.8 mg/kg bw/day	Human, oral	Consumer (private households)	Chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
2-Butoxyethanol	111-76-2	PNEC	8.8 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	0.88 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	463 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	34.6 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	2.33 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	9.1 mg/l	Aquatic organisms	Water	Intermittent release
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.074 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.007 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	1.4 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.015 mg/l	Aquatic organisms	Water	Intermittent release
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.06 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.1 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.604 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	14 µg/l	Aquatic organisms	Freshwater	Short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	1.4 µg/l	Aquatic organisms	Marine water	Short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	1.8 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	3.85 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	0.385 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	PNEC	0.763 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)

8.2 EXPOSURE CONTROLS

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

SECTION 9: Physical and chemical properties

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical state	Liquid
Colour	Green
Odour	Characteristic

OTHER SAFETY PARAMETERS

pH (value)	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	100 °C
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant, (Fluid)
Explosive limits	Not determined
Vapour pressure	Not determined
Density	1.03 g/cm ³
Vapour density	This information is not available

Solubility(ies)

- water solubility	Miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	This information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature	Not determined
Viscosity	Not determined
Explosive properties	None
Oxidising properties	None

9.2 OTHER INFORMATION

There is no additional information.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

SECTION 10: Stability and reactivity

10.1 REACTIVITY

This material is not reactive under normal ambient conditions.

10.2 CHEMICAL STABILITY

See below "Conditions to avoid".

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No known hazardous reactions.

10.4 CONDITIONS TO AVOID

There are no specific conditions known which have to be avoided.

10.5 INCOMPATIBLE MATERIALS

Oxidisers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

CLASSIFICATION ACCORDING TO GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
2-Butoxyethanol	111-76-2	Oral	1,414 mg/kg
2-Butoxyethanol	111-76-2	Dermal	1,100 mg/kg
2-Butoxyethanol	111-76-2	Inhalation: vapour	11 mg/√4h
Trisodium nitrilotriacetate	5064-31-3	Oral	1,740 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-Butoxyethanol	111-76-2	Oral	LD50	1,414 mg/kg	Guinea pig
2-Butoxyethanol	111-76-2	Dermal	LD50	>2,000 mg/kg	Rabbit
Trisodium nitrilotriacetate	5064-31-3	Oral	LD50	1,740 mg/kg	Rat
Isotridecanol, ethoxylated	69011-36-5	Oral	LD50	>2,000 mg/kg	Rat
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	Oral	LD50	>2,000 mg/kg	Rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 TOXICITY

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Butoxyethanol	111-76-2	LC50	1,474 mg/l	Fish	96 h
2-Butoxyethanol	111-76-2	EC50	1,550 mg/l	Aquatic invertebrates	48 h
2-Butoxyethanol	111-76-2	ErC50	1,840 mg/l	Algae	72 h
2-Butoxyethanol	111-76-2	NOEC	88 mg/l	Algae	72 h
2-Butoxyethanol	111-76-2	Growth (EbCx) 10%	308 mg/l	Algae	72 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Butoxyethanol	111-76-2	Growth rate (ErCx) 10%	679 mg/l	Algae	72 h
Trisodium nitrilotriacetate	5064-31-3	LC50	114 mg/l	Fish	96 h
Trisodium nitrilotriacetate	5064-31-3	EC50	98 mg/l	Aquatic invertebrates	96 h
Trisodium nitrilotriacetate	5064-31-3	ErC50	>91.5 mg/l	Algae	72 h
Trisodium nitrilotriacetate	5064-31-3	NOEC	1.43 mg/l	Algae	72 h
Trisodium nitrilotriacetate	5064-31-3	LOEC	2.86 mg/l	Algae	72 h
Trisodium nitrilotriacetate	5064-31-3	Growth (EbCx) 10%	22.8 mg/l	Algae	72 h
Trisodium nitrilotriacetate	5064-31-3	Growth rate (ErCx) 10%	74.8 mg/l	Algae	72 h
Isotridecanol, ethoxylated	69011-36-5	LL50	2.5 mg/l	Fish	96 h
Isotridecanol, ethoxylated	69011-36-5	EC50	1.5 mg/l	Aquatic invertebrates	48 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	LC50	720 µg/l	Fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	EC50	688 µg/l	Fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	ErC50	0.32 mg/l	Algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	NOEC	0.09 mg/l	Algae	48 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	Growth (EbCx) 10%	0.45 mg/l	Aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	Growth rate (ErCx) 10%	0.174 mg/l	Algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Butoxyethanol	111-76-2	EC50	297 mg/l	Aquatic invertebrates	21 d
2-Butoxyethanol	111-76-2	NOEC	>100 mg/l	Fish	21 d
2-Butoxyethanol	111-76-2	Growth (EbCx) 10%	134 mg/l	Aquatic invertebrates	21 d
Trisodium nitrilotriacetate	5064-31-3	NOEC	>54 mg/l	Fish	229 d
Isotridecanol, ethoxylated	69011-36-5	Growth (EbCx) 20%	1.097 mg/l	Fish	30 d

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	EC50	<0.67 mg/l	Fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	LC50	0.41 mg/l	Fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	NOEC	0.37 mg/l	Fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	LOEC	0.67 mg/l	Fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	Growth (EbCx) 10%	<0.67 mg/l	Fish	8 d

12.2 PERSISTENCE AND DEGRADABILITY

Data are not available.

12.3 BIOACCUMULATIVE POTENTIAL

Data are not available.

12.4 MOBILITY IN SOIL

Data are not available.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 OTHER ADVERSE EFFECTS

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 WASTE TREATMENT METHODS

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

REMARKS

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

SECTION 14: Transport information

14.1 UN NUMBER	Not subject to transport regulations
14.2 UN PROPER SHIPPING NAME	Not relevant
14.3 TRANSPORT HAZARD CLASS(ES)	None
14.4 PACKING GROUP	Not assigned
14.5 ENVIRONMENTAL HAZARDS	Non-environmentally hazardous acc. to the dangerous goods regulations
14.6 SPECIAL PRECAUTIONS FOR USER	There is no additional information.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE	No data available.

INFORMATION FOR EACH OF THE UN MODEL REGULATIONS

TRANSPORT OF DANGEROUS GOODS BY ROAD, RAIL AND INLAND WATERWAY (ADR/RID/ADN)

Not subject to ADR. Not subject to RID. Not subject to ADN.

INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG)

Not subject to IMDG.

INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

RELEVANT PROVISIONS OF THE EUROPEAN UNION (EU)

RESTRICTIONS ACCORDING TO REACH, ANNEX XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
IN2-CLEAN	This product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
(R)-p-mentha-1,8-diene	Flammable / pyrophoric		R40	40

Legend

R3

- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Legend

- can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 - 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 - 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
 - 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
 - 'For professional users only'.
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (REACH, ANNEX XIV) / SVHC - CANDIDATE LIST

None of the ingredients are listed.

REGULATION 166/2006/EC CONCERNING THE ESTABLISHMENT OF A EUROPEAN POLLUTANT RELEASE AND TRANSFER REGISTER (PRTR)

None of the ingredients are listed.

DIRECTIVE 2000/60/EC ESTABLISHING A FRAMEWORK FOR COMMUNITY ACTION IN THE FIELD OF WATER POLICY (WFD)

None of the ingredients are listed.

REGULATION 98/2013/EU ON THE MARKETING AND USE OF EXPLOSIVES PRECURSORS

None of the ingredients are listed.

15.2 CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

SECTION 16: Other information

ABBREVIATIONS AND ACRONYMS

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
Index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
Ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

CLASSIFICATION PROCEDURE

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

LIST OF RELEVANT PHRASES (CODE AND FULL TEXT AS STATED IN CHAPTER 2 AND 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

DISCLAIMER

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.