

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 PRODUCT IDENTIFIER

Trade name

**IN2-DENSIFY L**

Registration number (REACH)

Not relevant (mixture)

#### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses

Professional use  
Industrial use

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

IN2-CONCRETE BVBA  
Lange ambachtstraat 10  
9860 Oosterzele  
Belgium

Telephone: +32 498 35 80 57  
e-mail: info@in2-concrete.com  
Website: www.in2-concrete.com

e-mail (competent person)

Tdw@in2-concrete.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency information service

+32 498 35 80 57  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

#### 2.2 LABEL ELEMENTS

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

- pictograms

GHS05



- hazard statements

H315 Causes skin irritation.  
H318 Causes serious eye damage.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

- precautionary statements
  - P280 Wear protective gloves/protective clothing/eye protection/face protection.
  - P302+P352 IF ON SKIN: Wash with plenty of water.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P321 Specific treatment (see on this label).
  - P362+P364 Take off contaminated clothing and wash it before reuse.
- hazardous ingredients for labelling Lithium hydroxide

### 2.3 OTHER HAZARDS

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



## SECTION 3: Composition/information on ingredients

### 3.1 SUBSTANCES

Not relevant (mixture)

### 3.2 MIXTURES

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Lithium hydroxide	CAS No 1310-66-3 1310-65-2  EC No 215-183-4  REACH Reg. No 01- 2119560576 -31-xxxx	>2.5 - <5	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318	  			

### REMARKS

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## SECTION 4: First aid measures

### 4.1 DESCRIPTION OF FIRST AID MEASURES

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. In all cases of doubt, or when symptoms persist, seek medical advice.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### Following skin contact

Wash with plenty of soap and water. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms and effects are not known to date.

## 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

For specialist advice physicians should contact the poison centre.

## SECTION 5: Firefighting measures

### 5.1 EXTINGUISHING MEDIA

#### Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

Water jet.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

#### Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

### 5.3 ADVICE FOR FIREFIGHTERS

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

## SECTION 6: Accidental release measures

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### For non-emergency personnel

Remove persons to safety. Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 REFERENCE TO OTHER SECTIONS

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 PRECAUTIONS FOR SAFE HANDLING

#### Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

#### Managing of associated risks

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

#### Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

#### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

### 7.3 SPECIFIC END USE(S)

There is no additional information.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 8: Exposure controls/personal protection

#### 8.1 CONTROL PARAMETERS

##### NATIONAL LIMIT VALUES

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	Lithium hydroxide	1310-65-2	WEL				1		EH40/2005
GB	Silica, amorphous	7631-86-9	WEL		6			I	EH40/2005
GB	Silica, amorphous	7631-86-9	WEL		2.4			R	EH40/2005

##### Notation

i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	10 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	30 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Acute - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	41.35 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	100 mg/kg bw/day	Human, dermal	Worker (industry)	Acute - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	6.21 mg/m <sup>3</sup>	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	41.35 mg/kg bw/day	Human, dermal	Consumer (private households)	Chronic - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	4.13 mg/kg bw/day	Human, oral	Consumer (private households)	Chronic - systemic effects
Lithium hydroxide	1310-66-3 1310-65-2	DNEL	12.4 mg/kg bw/day	Human, oral	Consumer (private households)	Acute - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	2.3 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	0.23 mg/l	Aquatic organisms	Marine water	Short-term (single instance)

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	79.2 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	9 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	0.9 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
Lithium hydroxide	1310-66-3 1310-65-2	PNEC	0.45 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)

**8.2 EXPOSURE CONTROLS**

**Appropriate engineering controls**

General ventilation.

**Individual protection measures (personal protective equipment)**

**Eye/face protection**



Use safety goggle with side protection (EN 166).

**Skin protection**

Protective clothing (EN 340 & EN ISO 13688).

**- hand protection**



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**- breakthrough times of the glove material**

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

**- other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 9: Physical and chemical properties

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

##### APPEARANCE

Physical state	Liquid
Colour	Clear
Odour	Odourless

##### OTHER SAFETY PARAMETERS

pH (value)	Not determined
Melting point/freezing point	423.9 °C at 1,013 hPa
Initial boiling point and boiling range	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant, (Fluid)
Explosive limits	Not determined
Vapour pressure	23 hPa
Density	1.08 – 1.12 g/cm <sup>3</sup> at 20 °C
Vapour density	This information is not available

##### Solubility(ies)

- water solubility	Miscible in any proportion
--------------------	----------------------------

##### Partition coefficient

- n-octanol/water (log KOW)	This information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature	Not determined
Viscosity	Not determined
Explosive properties	None
Oxidising properties	None

#### 9.2 OTHER INFORMATION

There is no additional information.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 10: Stability and reactivity

#### 10.1 REACTIVITY

This material is not reactive under normal ambient conditions.

#### 10.2 CHEMICAL STABILITY

See below "Conditions to avoid".

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No known hazardous reactions.

#### 10.4 CONDITIONS TO AVOID

There are no specific conditions known which have to be avoided.

#### 10.5 INCOMPATIBLE MATERIALS

Oxidisers.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### CLASSIFICATION ACCORDING TO GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

##### - acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Lithium hydroxide	1310-66-3 1310-65-2	Oral	500 mg/kg

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Lithium hydroxide	1310-66-3 1310-65-2	Inhalation: dust/mist	LC50	>6.15 mg/l/4h	Rat
Lithium hydroxide	1310-66-3 1310-65-2	Dermal	LD50	>2,000 mg/kg	Rat



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 TOXICITY

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	LC50	109 mg/l	Fish	96 h
Lithium hydroxide	1310-66-3 1310-65-2	EC50	29.4 mg/l	Aquatic invertebrates	24 h
Lithium hydroxide	1310-66-3 1310-65-2	ErC50	153.4 mg/l	Algae	72 h
Lithium hydroxide	1310-66-3 1310-65-2	LOEC	50 mg/l	Fish	96 h
Lithium hydroxide	1310-66-3 1310-65-2	NOEC	25 mg/l	Fish	96 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	EC50	180.8 mg/l	Microorganisms	3 h

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lithium hydroxide	1310-66-3 1310-65-2	LOEC	24.35 mg/l	Fish	34 d
Lithium hydroxide	1310-66-3 1310-65-2	NOEC	17.35 mg/l	Fish	34 d
Lithium hydroxide	1310-66-3 1310-65-2	Growth (EbCx) 10%	79.2 mg/l	Microorganisms	3 h

### 12.2 PERSISTENCE AND DEGRADABILITY

Data are not available.

### 12.3 BIOACCUMULATIVE POTENTIAL

Data are not available.

### 12.4 MOBILITY IN SOIL

Data are not available.

### 12.5 RESULTS OF PBT AND VPvB ASSESSMENT

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 OTHER ADVERSE EFFECTS

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 WASTE TREATMENT METHODS

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### REMARKS

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 14: Transport information

<b>14.1 UN NUMBER</b>	Not subject to transport regulations
<b>14.2 UN PROPER SHIPPING NAME</b>	Not relevant
<b>14.3 TRANSPORT HAZARD CLASS(ES)</b>	None
<b>14.4 PACKING GROUP</b>	Not assigned to a packing group
<b>14.5 ENVIRONMENTAL HAZARDS</b>	Non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 SPECIAL PRECAUTIONS FOR USER</b>	There is no additional information.
<b>14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE</b>	No data available.

#### INFORMATION FOR EACH OF THE UN MODEL REGULATIONS

##### TRANSPORT OF DANGEROUS GOODS BY ROAD, RAIL AND INLAND WATERWAY (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

##### INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG)

Not subject to IMDG.

##### INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

##### RELEVANT PROVISIONS OF THE EUROPEAN UNION (EU)

##### RESTRICTIONS ACCORDING TO REACH, ANNEX XVII

None of the ingredients are listed.

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
IN2-DENSIFY L	This product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

#### Legend

- R3
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  - Articles not complying with paragraph 1 shall not be placed on the market.
  - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### Legend

- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

### LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (REACH, ANNEX XIV) / SVHC - CANDIDATE LIST

None of the ingredients are listed.

### DIRECTIVE ON INDUSTRIAL EMISSIONS (VOCs, 2010/75/EU)

VOC content	0 g/l
-------------	-------

### REGULATION 166/2006/EC CONCERNING THE ESTABLISHMENT OF A EUROPEAN POLLUTANT RELEASE AND TRANSFER REGISTER (PRTR)

None of the ingredients are listed.

### DIRECTIVE 2000/60/EC ESTABLISHING A FRAMEWORK FOR COMMUNITY ACTION IN THE FIELD OF WATER POLICY (WFD)

None of the ingredients are listed.

### REGULATION 98/2013/EU ON THE MARKETING AND USE OF EXPLOSIVES PRECURSORS

None of the ingredients are listed.

## 15.2 CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### ABBREVIATIONS AND ACRONYMS

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
Index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
VPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### KEY LITERATURE REFERENCES AND SOURCES FOR DATA

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

**CLASSIFICATION PROCEDURE**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**LIST OF RELEVANT PHRASES (CODE AND FULL TEXT AS STATED IN CHAPTER 2 AND 3)**

<b>Code</b>	<b>Text</b>
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

**DISCLAIMER**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.