

**iQ parts**  
IQ-PARTS-SHOP.COM



**SPECS &  
INFORMATION**



- 1 **Ear**  
– one tightening side
- 2 **Smooth inner band, and inner liner for security and roundness**
- 3 **Round edges to prevent damage**
- 4 **Inner liner**  
– effective and powerful all-round seal

## One part clamp for low and medium pressure.

The NORMACLAMP® Earclip safe has no screw. The assembly is fast, simple and safe thanks to the pinching of the ear. The inner insert allows a better distribution of the clamping force.

### Advantages at a glance

- Cost effective, and simple alternative to worm drive hose clips
- Fast and easy to install
- Ideal in narrow spaces
- Suitable for definitive fixation of connecting pipes
- To be assembled with simple ear clip pliers
- Inner liner for security and better distribution of the clamping force

### Applications

- For hoses that convey compressed air or fluid
- Original equipment manufacturing
- Maintenance repair and overhaul

### Materials

W1	W2	W3	W4	W5
x			x	

### Technical data & Ordering information

NORMACLAMP® EARCLIP SAFE					
Width	Description	Clamping ranges		W1 Product No.	W4 Product No.
		in mm	in inches		
6	EARCLIP SAFE 7.5-8.5/6	7.5-8.5	5/16-5/16"	0110 7014 008	0110 7015 008
	EARCLIP SAFE 8-9.5/6	8-9.5	5/16-3/8"	0110 7014 009	0110 7015 009
6.5	EARCLIP SAFE 9-10.5/6.5	9-10.5	3/8-7/16"	0110 7014 010	0110 7015 010
	EARCLIP SAFE 10-11.5/6.5	10-11.5	3/8-7/16"	0110 7014 011	0110 7015 011
	EARCLIP SAFE 10.5-12.5/6.5	10.5-12.5	7/16-1/2"	0110 7014 012	0110 7015 012
7	EARCLIP SAFE 11.5-13.3/7	11.5-13.3	7/16-1/2"	0110 7014 013	0110 7015 013
	EARCLIP SAFE 12.5-14.5/7	12.5-14.5	1/2-9/16"		0110 7015 014
	EARCLIP SAFE 13-15.3/7	13-15.3	1/2-5/8"	0110 7014 015	0110 7015 015
	EARCLIP SAFE 14-16/7	14-16	9/16-1/4"		0110 7015 016
	EARCLIP SAFE 15-17.3/7	15-17.3	9/16-11/16"	0110 7014 017	0110 7015 017
7.5	EARCLIP SAFE 16-18.3/7.5	16-18.3	1/4-3/4"		0110 7015 018
	EARCLIP SAFE 17-19.3/7.5	17-19.3	11-16-3/4"		0110 7015 019



Refer to page 197.



info@iq-parts.nl  
Harsweg 34A  
2431 EZ Ter Aar  
T +31 252 624 126  
The Netherlands