

**iQ parts**  
IQ-PARTS-SHOP.COM



**SPECS &  
INFORMATION**





The NORMACLAMP® TORRO® Tamperproof can only be mounted and dismantled by using the Tamperproof Screwdriver – details on page 199. The specially designed screw head has three radial grooves, which means it cannot be adjusted with any commercially available tools. Automated assembly using a torque gun is particularly effective, as the special shape of the screw head allows for minimal misalignment or offset.

**Main advantage**

Non-dismountable clamps protect against manipulation

**Materials**

W3, W4



Refer to page 199



**NORMACLAMP® TORRO® TAMPERPROOF**

| Width                        | Designation                  | Clamping ranges |                 | B    | h    | L    | s             | W3<br>Product No. | W4<br>Product No. |
|------------------------------|------------------------------|-----------------|-----------------|------|------|------|---------------|-------------------|-------------------|
|                              |                              | mm              | inches          |      |      |      |               |                   |                   |
| 9                            | TORRO TAMPERPROOF 8-12/9     | 8-12            | 5/16-1/2"       | 13.0 | 11.0 | 21.0 | 0.65          | 0126 6468 010     | 0126 6469 010     |
|                              | TORRO TAMPERPROOF 8-16/9     | 8-16            | 5/16-5/8"       | 13.0 | 11.0 | 21.0 | 0.65          | 0126 6468 013     | 0126 6469 013     |
|                              | TORRO TAMPERPROOF 12-20/9    | 12-20           | 1/2-13/16"      | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 016     | 0126 6469 016     |
|                              | TORRO TAMPERPROOF 12-22/9    | 12-22           | 1/2-7/8"        | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 017     | 0126 6469 017     |
|                              | TORRO TAMPERPROOF 16-25/9    | 16-25           | 5/8-1"          | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 020     | 0126 6469 020     |
|                              | TORRO TAMPERPROOF 16-27/9    | 16-27           | 5/8-1 1/16"     | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 021     | 0126 6469 021     |
|                              | TORRO TAMPERPROOF 20-32/9    | 20-32           | 13/16-1 1/4"    | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 026     | 0126 6469 026     |
|                              | TORRO TAMPERPROOF 23-35/9    | 23-35           | 15/16-1 3/8"    | 13.0 | 11.0 | 24.0 | 0.65          | 0126 6468 029     | 0126 6469 029     |
|                              | TORRO TAMPERPROOF 25-40/9    | 25-40           | 1-1 9/16"       | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 032     | 0126 6469 032     |
|                              | TORRO TAMPERPROOF 30-45/9    | 30-45           | 1 3/16-1 3/4"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 037     | 0126 6469 037     |
|                              | TORRO TAMPERPROOF 32-50/9    | 32-50           | 1 1/4-2"        | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 041     | 0126 6469 041     |
|                              | TORRO TAMPERPROOF 35-55/9    | 35-55           | 1 3/8-2 3/16"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 045     | 0126 6469 045     |
|                              | TORRO TAMPERPROOF 40-60/9    | 40-60           | 1 9/16-2 3/8"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 050     | 0126 6469 050     |
|                              | TORRO TAMPERPROOF 45-65/9    | 45-65           | 1 3/4-2 9/16"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 055     | 0126 6469 055     |
|                              | TORRO TAMPERPROOF 50-70/9    | 50-70           | 2-2 3/4"        | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 060     | 0126 6469 060     |
|                              | TORRO TAMPERPROOF 55-75/9    | 55-75           | 2 3/16-2 15/16" | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 065     | 0126 6469 065     |
|                              | TORRO TAMPERPROOF 60-80/9    | 60-80           | 2 3/8-3 1/8"    | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 070     | 0126 6469 070     |
|                              | TORRO TAMPERPROOF 65-85/9    | 65-85           | 2 9/16-3 3/8"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 075     | 0126 6469 075     |
|                              | TORRO TAMPERPROOF 70-90/9    | 70-90           | 2 3/4-3 9/16"   | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 080     | 0126 6469 080     |
|                              | TORRO TAMPERPROOF 75-95/9    | 75-95           | 2 15/16-3 3/4"  | 13.0 | 11.0 | 26.0 | 0.65          | 0126 6468 085     | 0126 6469 085     |
| TORRO TAMPERPROOF 80-100/9   | 80-100                       | 3 1/8-3 15/16"  | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 090 | 0126 6469 090     |                   |
| TORRO TAMPERPROOF 90-110/9   | 90-110                       | 3 9/16-4 5/16"  | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 100 | 0126 6469 100     |                   |
| TORRO TAMPERPROOF 100-120/9  | 100-120                      | 3 15/16-4 3/4"  | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 110 | 0126 6469 110     |                   |
| TORRO TAMPERPROOF 110-130/9  | 110-130                      | 4 5/16-5 1/8"   | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 120 | 0126 6469 120     |                   |
| TORRO TAMPERPROOF 120-140/9  | 120-140                      | 4 3/4-5 1/2"    | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 130 | 0126 6469 130     |                   |
| TORRO TAMPERPROOF 130-150/9  | 130-150                      | 5 1/8-5 15/16"  | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 140 | 0126 6469 140     |                   |
| TORRO TAMPERPROOF 140-160/9  | 140-160                      | 5 1/2-6 5/16"   | 13.0            | 11.0 | 26.0 | 0.65 | 0126 6468 150 | 0126 6469 150     |                   |
| 12                           | TORRO TAMPERPROOF 16-27/12   | 16-27           | 5/8-1 1/16"     | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 021     | 0136 6359 021     |
|                              | TORRO TAMPERPROOF 20-32/12   | 20-32           | 13/16-1 1/4"    | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 026     | 0136 6359 026     |
|                              | TORRO TAMPERPROOF 23-35/12   | 23-35           | 15/16-1 3/8"    | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 029     | 0136 6359 029     |
|                              | TORRO TAMPERPROOF 25-40/12   | 25-40           | 1-1 9/16"       | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 032     | 0136 6359 032     |
|                              | TORRO TAMPERPROOF 30-45/12   | 30-45           | 1 3/16-1 3/4"   | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 037     | 0136 6359 037     |
|                              | TORRO TAMPERPROOF 35-50/12   | 35-50           | 1 3/8-2"        | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 043     | 0136 6359 043     |
|                              | TORRO TAMPERPROOF 40-55/12   | 40-55           | 1 9/16-2 3/16"  | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 048     | 0136 6359 048     |
|                              | TORRO TAMPERPROOF 40-60/12   | 40-60           | 1 9/16-2 3/8"   | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 050     | 0136 6359 050     |
|                              | TORRO TAMPERPROOF 45-65/12   | 45-65           | 1 3/4-2 9/16"   | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 055     | 0136 6359 055     |
|                              | TORRO TAMPERPROOF 50-70/12   | 50-70           | 2-2 3/4"        | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 060     | 0136 6359 060     |
|                              | TORRO TAMPERPROOF 55-75/12   | 55-75           | 2 3/16-2 15/16" | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 065     | 0136 6359 065     |
|                              | TORRO TAMPERPROOF 60-80/12   | 60-80           | 2 3/8-3 1/8"    | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 070     | 0136 6359 070     |
|                              | TORRO TAMPERPROOF 65-85/12   | 65-85           | 2 9/16-3 3/8"   | 14.6 | 12.5 | 30.0 | 0.8           | 0136 6358 075     | 0136 6359 075     |
|                              | TORRO TAMPERPROOF 70-90/12   | 70-90           | 2 3/4-3 9/16"   | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 080     | 0136 6359 080     |
|                              | TORRO TAMPERPROOF 75-95/12   | 75-95           | 2 15/16-3 3/4"  | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 085     | 0136 6359 085     |
|                              | TORRO TAMPERPROOF 80-100/12  | 80-100          | 3 1/8-3 15/16"  | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 090     | 0136 6359 090     |
|                              | TORRO TAMPERPROOF 90-110/12  | 90-110          | 3 9/16-4 5/16"  | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 100     | 0136 6359 100     |
|                              | TORRO TAMPERPROOF 100-120/12 | 100-120         | 3 15/16-4 3/4"  | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 110     | 0136 6359 110     |
|                              | TORRO TAMPERPROOF 110-130/12 | 110-130         | 4 5/16-5 1/8"   | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 120     | 0136 6359 120     |
|                              | TORRO TAMPERPROOF 120-140/12 | 120-140         | 4 3/4-5 1/2"    | 14.6 | 12.5 | 36.0 | 0.8           | 0136 6358 130     | 0136 6359 130     |
| TORRO TAMPERPROOF 130-150/12 | 130-150                      | 5 1/8-5 15/16"  | 14.6            | 12.5 | 36.0 | 0.8  | 0136 6358 140 | 0136 6359 140     |                   |
| TORRO TAMPERPROOF 140-160/12 | 140-160                      | 5 1/2-6 5/16"   | 14.6            | 12.5 | 36.0 | 0.8  | 0136 6358 150 | 0136 6359 150     |                   |



info@iq-parts.nl  
Harsweg 34A  
2461 EZ Ter Aar  
T +31 252 624 126  
The Netherlands