

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**

General Use Band & Buckle

Type 200-300 Stainless Steel

Also known as Value Series Stainless steel – Typically non-magnetic, this economy steel is suitable for light duty applications when the benefits of stainless steel are required.

VALU-STRAP™ Band Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
VALU-STRAP™										
C13199	200/300 SS	3/16	4.8	0.015	0.38	280	100'/Roll	1.2	0.5	C00169 C00369 C07569 C08569 C40099 J02069*
C13399	200/300 SS	3/8	9.6	0.015	0.38	450	100'/Roll	2.2	1.0	
C13499	200/300 SS	1/2	12.7	0.015	0.38	600	100'/Roll	2.9	1.3	
C13599	200/300 SS	5/8	15.8	0.015	0.38	750	100'/Roll	3.6	1.7	
C13699	200/300 SS	3/4	19.1	0.015	0.38	900	100'/Roll	4.4	2.0	
C12799	200/300 SS	3/8	9.6	0.015	0.38	450	200'/Roll	4.4	2.0	
C12899	200/300 SS	1/2	12.7	0.015	0.38	600	200'/Roll	5.8	2.6	
C12999	200/300 SS	5/8	15.8	0.015	0.38	750	200'/Roll	7.3	3.2	
C13099	200/300 SS	3/4	19.1	0.015	0.38	900	200'/Roll	8.8	3.9	

These products are available in 300' rolls & Full Mill Coil.

*The J02069 can be used with 3/8" maximum width product.



VALU-STRAP™ Plus Band Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
VALU-STRAP™ Plus										
C19199	200/300 SS	3/8	9.6	0.020	0.51	600	100'/Roll	2.9	1.3	C00169 C00369 C07569 C08569 C40099 J02069*
C18189	200/300 SS	1/2	12.7	0.020	0.51	850	100'/Roll	3.8	1.7	
C17199	200/300 SS	5/8	15.8	0.020	0.51	1000	100'/Roll	5.6	2.6	
C16189	200/300 SS	3/4	19.1	0.020	0.51	1275	100'/Roll	5.7	2.5	
C19399	200/300 SS	3/8	9.6	0.020	0.51	600	200'/Roll	5.8	2.6	
C18389	200/300 SS	1/2	12.7	0.020	0.51	850	200'/Roll	7.6	3.4	
C17399	200/300 SS	5/8	15.8	0.020	0.51	1000	200'/Roll	11.2	5.2	
C16389	200/300 SS	3/4	19.1	0.020	0.51	1275	200'/Roll	11.4	5.0	

*The J02069 can be used with 3/8" maximum width product).



Valuband Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
Valuband										
C14499	200/300 SS	1/2	12.7	0.025	0.64	1000	100'/Roll	4.5	2.0	C00169 C00369 C07569 C08569 C40099
C14599	200/300 SS	5/8	15.8	0.025	0.64	1250	100'/Roll	5.6	2.6	
C14699	200/300 SS	3/4	19.1	0.025	0.64	1590	100'/Roll	6.7	3.0	
C14899	200/300 SS	1/2	12.7	0.025	0.64	1000	200'/Roll	9.0	4.0	
C14999	200/300 SS	5/8	15.8	0.025	0.64	1250	200'/Roll	11.2	5.2	
C15099	200/300 SS	3/4	19.1	0.025	0.64	1590	200'/Roll	13.4	6.0	

These products are available in 300' rolls & Full Mill Coil.





info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands