

iQparts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**


Fittings - PVDF


PVDF is a special natural white shade of color plastic raw material. Fittings made of PVDF can function well, even when exposed to a wide range of temperatures and high corrosive chemicals.


* Nuts material is Reinforced PP


Fittings - PVDF

PVDF


 Working pressure
Up to 14 BAR
(200 psi) at 20 °C

 Temperature
-20 °C - 120 °C
(subject to application)

 Fittings' dimensions
refer to tube ID or OD, with respect
to the common application.




Male Barb Block Connector (with O-Ring)

Cat. No.	OD mm	M (BSPP)	L mm	D mm	Colour	O-ring
22F56846021	6	1/8"	272	16.0	 White	Silicone
22F56846041	6	1/4"	30.9	19.4		
22F56848021	8	1/8"	273	16.0		
22F56848041	8	1/4"	31.1	19.3		
22F56850021	10	1/8"	272	16.0		
22F56850041	10	1/4"	31.0	19.4		


Note: Packing 25 unit
* Nuts material is Reinforced PP

Cat. No.	OD Inch	M (BSPP)	L mm	D mm	Colour	O-ring
22F56804021	1/4"	1/8"	271	16.0	 White & Navy Blue	Silicone
22F56804041	1/4"	1/4"	30.9	19.4		

Note: Packing 25 unit
* Nuts material is Reinforced PP




Reducing Barb Block Connector


Cat. No.	OD mm	OD1 mm	L mm	SW	Colour
22055648461	8	6	32.7	14	 White


Cat. No.	OD inch	OD1 inch	L mm	SW	Colour
22255605041	5/16"	1/4"	32.7	14	 White & Navy Blue

Note: Packing 25 unit
* Nuts material is Reinforced PP



Union Barb Block Connector

Cat. No.	OD mm	L mm	SW	Colour
22056246001	6	32.7	14	 White
22056248001	8	32.7	14	
22056252001	12	40.6	19	

Cat. No.	OD inch	L mm	SW	Colour
22256204001	1/4"	32.7	14	 White & Navy Blue
22256205001	5/16"	32.7	14	
22256208001	1/2"	40.6	19	

Note: Packing 25 unit
* Nuts material is Reinforced PP



iq
parts
IQ-PARTS-SHOP.COM

info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands