

iQ parts
IQ-PARTS-SHOP.COM



**SPECS &
INFORMATION**



Typ H / Sleeves Type H					
<i>Material: steel galvanized</i>					
Art.N°	Description	ID (mm)	bore-Ø (mm)	Length (mm)	unit
104.038	H 3/8	8	5,6	17	100
104.039	H 3/9	9	4,7	17	100
104.040	H 4/9	9	5,7	17	100
104.050	H 5/10	10	6,7	17	100
104.051	H 5/11	11	6,7	17	100
104.060	H 6/11	11	7,7	17	100
104.062	H 6/12	12	7,7	20	100
104.063	H 6/13,5	13,5	7,7	20	100
104.065	H 6/15	15	7,6	20	100
104.064	H 8/12	12	10,0	20	100
104.080	H 8/13,5	13,5	10,2	20	100
104.084	H 8/14	14	10,0	20	100
104.085	H 8/15	15	10,2	20	100
104.105	H 10/15	15	11,8	20	100
104.100	H 10/16	16	11,9	20	100
104.107	H 10/17	17	11,9	21	100
104.118	H 12/18	18	13,9	21	100
104.112	H 12/19	19	14,0	26	100
104.120	H 12/20	20	14,0	26	100
104.156	H 12/21	21	15,7	25	100
104.122	H 12/22	22	15,7	32	100
104.123	H 15/23	23	17,2	32	
104.124	H 15/24,5	24,5	17,2	33	
104.126	H 18/26,5	26,5	19,7	32	
104.128	H 18/28	28	20,7	34	
104.130	H 20/30	30	24,2	32	
104.132	H 20/32	32	23,7	34	
104.133	H 20/33	33	24,2	34	
104.136	H 20/34	34	25,9	34	
104.134	H 25/32	32	27,9	34	
104.137	H 25/34,5	34,5	27,0	35	
104.138	H 25/36	36	27,5	35	
104.140	H 25/38	38	28,3	35	
104.142	H 25/40	40	30,0	40	
104.145	H 32/45	45	35,1	37	
104.147	H 40/51	51	41,3	43	



Typ H / Sleeves Type H					
<i>Short version, Material: steel galvanized</i>					
Art.N°	Description	ID (mm)	bore-Ø (mm)	Length (mm)	unit
104.082	H 8/12,5/15	12,5	9,6	15	100
104.084	H 8/14/20	14	10,2	20	100
104.106	H 10/15/16	15	11,8	16	100
104.121	H 12/20/20	20	13,5	20	100
104.158	H 12/22/20	22	15,4	20	100



Typ HR / Sleeves Type HR				
<i>Material: steel galvanized</i>				
Art.N°	Description	ID (mm)	Length (mm)	unit
104.952	HR 8/10	8	10	100
104.953	HR 9/10	9	10	100
104.954	HR 10/10	10	10	100
104.955	HR 11/10	11	10	100
104.956	HR 12/19	12	19	100

Typ VA-H/ Sleeves Type VA-H					
Material: 1.4301 (V2A)					
Art.N°	Description	ID (mm)	bore-Ø (mm)	Length (mm)	unit
104.240	VA-H 4/9	9	5,5	17	100
104.258	VA-H 5/10	10	6,6	17	100
104.260	VA-H 6/11	11	7,5	17	100
104.262	VA-H 6/12	12	7,5	20	100
104.263	VA-H 6/13,5	13,5	7,6	20	100
104.278	VA-H 8/12,5	12,5	10,0	20	100
104.279	VA-H 8/13	13	9,3	18	100
104.280	VA-H 8/13,5	13,5	10,1	20	100
104.284	VA-H 8/14	14	9,7	20	100
104.285	VA-H 8/15	15	10,0	20	100
104.305	VA-H 10/15	15	11,7	20	100
104.300	VA-H 10/16	16	11,7	20	100
104.307	VA-H 10/17	17	12,2	21	100
104.318	VA-H 12/18	18	13,8	21	
104.312	VA-H 12/19	19	13,8	26	
104.319	VA-H 12/22	22	15,6	26	
104.323	VA-H 15/23	23	18,7	28	
104.324	VA-H 15/24,5	24,5	17,0	32	
104.326	VA-H 18/26,5	26,5	20,0	28	
104.327	VA-H 20/29	29	20,8	30	
104.332	VA-H 20/32	32	24,0	34	
104.334	VA-H 25/34,5	34,5	26,0	35	
104.336	VA-H 25/36	36	27,5	35	
104.340	VA-H 25/40	40	30,2	35	
104.345	VA-H 32/45	45	35,1	37	
104.350	VA-H 40/51	51	41,0	43	
104.354	VA-H 40/56	56	42,1	62	
104.362	VA-H 50/61	61	48,0	46	



Typ VA-H / Sleeves Type H					
Material: 1.4301 (V2A) / Short version					
Art.N°	Description	ID (mm)	bore-Ø (mm)	Length (mm)	unit
104.261	VA-H 6/12/15	12,0	9	15	100
104.281	VA-H 8/13,5/15	13,5	9	15	100
104.320	VA-H 12/20/20	20	13,5	20	



Typ AL-H / Aluminum sleeves					
Art.N°	Description	ID (mm)	bore-Ø (mm)	Length (mm)	unit
104.603	AL-H 15/23	22,8	17,0	27	
104.602	AL-H 18/28	27,9	19,9	31	
104.604	AL-H 25/36	35,8	25,9	37	
104.605	AL-H 40/56	56,0	40,8	54	
104.606	AL-H 50/67	66,7	50,5	59	





info@iq-parts.nl
Harsweg 34A
2461 EZ Ter Aar
T +31 252 624 126
The Netherlands