

**iQ parts**  
IQ-PARTS-SHOP.COM



**SPECS &  
INFORMATION**

## Fittings - PVDF

PVDF




**Working pressure**  
Up to 14 BAR  
(200 psi) at 20 °C



**Temperature**  
-20 °C - 120 °C  
(subject to application)



**Fittings' dimensions**  
refer to tube ID or OD, with respect to  
the common application.



### BSPT Barb Block Male Run T

Cat. No.	OD mm	M (BSPT)	L mm	L1 mm	Colour
22057246021	6	1/8"	41.9	275	White
22057246041	6	1/4"	46.2	275	White
22057248021	8	1/8"	41.9	275	
22057248041	8	1/4"	46.2	275	
22057248061	8	3/8"	58.8	43.2	
22057252041	12	1/4"	57.7	40.3	
22057252061	12	3/8"	62.5	40.3	
22057252081	12	1/2"	62.7	40.4	


Cat. No.	OD inch	M (BSPT)	L mm	L1 mm	Colour
22057204021	1/4"	1/8"	41.9	275	White & Navy Blue
22057204041	1/4"	1/4"	46.2	275	
22057205021	5/16"	1/8"	41.9	275	
22057205041	5/16"	1/4"	46.2	275	
22057205061	5/16"	3/8"	58.8	43.2	
22057208041	1/2"	1/4"	57.7	40.3	
22057208061	1/2"	3/8"	62.5	40.3	
22057208081	1/2"	1/2"	62.7	40.4	

Note: Packing 25 unit  
\* Nuts material is Reinforced PP

### NPT Male Barb Block Run T

Cat. No.	OD inch	M (NPT)	L mm	L1 mm	Colour
22257204021	1/4"	1/8"	43.4	274	White & Grey
22257204041	1/4"	1/4"	48.2	274	
22257205021	5/16"	1/8"	43.5	274	
22257205041	5/16"	1/4"	48.3	274	
22257205061	5/16"	3/8"	67.0	274	
22257208021	1/2"	1/8"	48.0	43.2	


Note: Packing 25 unit  
\* Nuts material is Reinforced PP



### BSPT Male Barb Block T - 2 threads

Cat. No.	OD mm	M (BSPT)	M1 (BSPT)	L mm	L1 mm	Colour
22057802041	8	1/4"	1/8"	46.2	22.6	White

Note: Packing 25 unit  
\* Nuts material is Reinforced PP




### Union T Barb Block Connector

Cat. No.	OD mm	L mm	L1 mm	Colour
22056446461	6	46.8	275	White
22056448481	8	46.8	275	
22056452521	12	67.1	40.4	

Cat. No.	OD inch	L mm	L1 mm	Colour
22256404041	1/4"	46.8	275	White & Navy Blue
22256405051	5/16"	46.8	275	
22256408081	1/2"	67.1	40.4	

Note: Packing 25 unit  
\* Nuts material is Reinforced PP



### Reducing T Barb Block Connector

Cat. No.	OD mm	OD1 mm	L mm	L1 mm	Colour
22055846481	6	8	46.8	274	White
22055848481	8	6	46.8	274	

Note: Packing 25 unit  
\* Nuts material is Reinforced PP



info@iq-parts.nl  
Harsweg 34A  
2461 EZ Ter Aar  
T +31 252 624 126  
The Netherlands