Woven Gradience
WG100
WG200
Interface®

PRODUCT WG100 **COLOURS** TERRACOTTA, LAGOON & STONE **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOURS** STONE/TERRACOTTA & STONE/LAGOON **INSTALLED** DESIGN BY TILE

Woven Gradience



EN

Own the space between

Beauty lies where forces meet: sea and shore, sky and mountain, shadow and light. Woven Gradience follows nature's way, to soothe, awaken and surprise. Seventeen shades and eighteen transitions create a palette where you can explore strong statements, neutral tones, and the places in between.

DE

Machen Sie sich Ihren Raum zu eigen

Schönheit liegt dort, wo Kräfte aufeinandertreffen: Meer und Küste, Himmel und Berge, Schatten und Licht. Woven Gradience folgt dem Weg der Natur, um zu beruhigen, zu beleben und zu überraschen. 17 Farben und 18 Übergänge bilden eine vielfältige Palette, mit der Sie starke Akzente setzen, neutrale Töne verwenden und fließende Verbindungen schaffen können.

FR

Entre deux nuances, un monde à créer

La beauté réside là où les énergies se rencontrent : mer et rivage, ciel et montagne, ombre et lumière. Woven Gradience™ suit le chemin de la nature pour apaiser, réveiller et surprendre. Dix-sept nuances de couleur et dix-huit transitions créent une palette où vous pouvez parcourir les couleurs vives, les tons neutres et toutes les nuances entre les deux.

NL

Bezit de ruimte ertussen

Er is schoonheid waar krachten samenkomen: zee en kust, lucht en berg, schaduw en licht. Woven Gradience volgt de weg van de natuur, om te kalmeren, te ontwaken en te verrassen. Zeventien tinten en achttien overgangen creëren een palet waarin u sterke statements, neutrale tinten en alles daartussenin kunt ontdekken.

ES

Domina el espacio de transición

La belleza se encuentra donde se unen las fuerzas: mar y costa, cielo y montaña, sombra y luz. Woven Gradience™ sigue el camino de la naturaleza para calmar, despertar y sorprender. Diecisiete tonos y dieciocho transiciones crean una paleta en la que puedes explorar opciones atrevidas, tonos neutros y todo lo que hay entre ellos.

---

www.interface.com

PRODUCT WG100 **COLOUR** ALMOND & SUNRISE **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOURS** OYSTER/ALMOND & SUNRISE/OYSTER **INSTALLED** DESIGN BY TILE

PRODUCT WG100 **COLOURS** FOREST, CHARCOAL & SAGE **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOURS** CHARCOAL/FOREST, STONE/CHARCOAL, PEARL/SAGE & PEARL/STONE **INSTALLED** DESIGN BY TILE

PRODUCT WG100 **COLOURS** PEARL & OYSTER
PRODUCT WG200 **COLOUR** PEARL/OYSTER **INSTALLED** ASHLAR

PRODUCT WG100 **COLOURS** OYSTER & ALMOND
PRODUCT WG200 **COLOUR** OYSTER/ALMOND **INSTALLED** ASHLAR

CARPET PRODUCT WG100 **COLOUR** SUNRISE **INSTALLED** MONOLITHIC
CARPET PRODUCT WG200 **COLOUR** PEARL / SUNRISE **INSTALLED** DESIGN BY TILE
LVT PRODUCT LEVEL SET TEXTURED STONES **COLOUR** DISTRESSED CONCRETE **INSTALLED** MONOLITHIC

PRODUCT WG100 **COLOURS** ROSE & INK **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** INK/ROSE **INSTALLED** DESIGN BY TILE

WG100 Colour Range

4306001 INK

4306002 CHARCOAL

4306003 STONE

4306004 PEARL

4306005 ROSE

4306006 EMERALD

4306007 OCEAN

4306008 FOREST

4306009 TERRACOTTA


4306010 LAGOON

4306011 SAGE

4306012 SUNRISE

4306020 SHADE

4306021 ELEPHANT

4306022 OYSTER

4306023 ALMOND

4306024 MOCHA

WG200 Colour Range

4307001
CHARCOAL/INK

4307002
STONE/CHARCOAL

4307003
PEARL/STONE

4307004
INK/ROSE

4307005
INK/EMERALD

4307006
CHARCOAL/OCEAN

4307007
CHARCOAL/FOREST

4307008
STONE/TERRACOTTA

4307009
STONE/LAGOON

4307010
PEARL/SAGE

4307011
PEARL/SUNRISE

4307020
SAGE/SHADE

4307021
SHADE/ELEPHANT

4307022
OYSTER/SHADE

4307023
SUNRISE/OYSTER

4307024
OYSTER/PEARL

4307025
OYSTER/ALMOND

4307026
ALMOND/MOCHA

PRODUCT WG100 **COLOURS** EMERALD, CHARCOAL & INK **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOURS** INK/EMERALD & CHARCOAL/INK **INSTALLED** DESIGN BY TILE

Carbon Footprint / m² *(Cradle to Gate)**

3.57 kg CO_2

Total Recycled and Bio-Based Content

93.7 %

Total Virgin Content *(non recycled and non bio-based)*

6.3 %

Yarn Recycled Content

100 %

Installation Waste

Monolithic 3-4 %

Brick Ashlar 3-5 %

Wear Classification

Class 33 Heavy Contract

Impact Sound Insulation ΔLw *EN ISO 10140-3*

27 dB

Rating of Sound Absorption *EN ISO 11654*

α_w 0.20

Potential Green Building Contribution and Certifications

* Please see **interface.com** for the most up to date numbers from our EPD.

For more information and to see contributions for each visit **interface.com**

PRODUCT WG100 **COLOURS** TERRACOTTA & STONE **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** TERRACOTTA/STONE **INSTALLED** DESIGN BY TILE

Sustainability & Performance

Standard Backing CQuest™Bio

CQUEST™BIO
Backing

EN

CQuest™Bio is non-vinyl, non-bitumen made with a bio-composite, containing bio-based and recycled fillers. These materials, when measured on a standalone basis are net carbon negative.

DE

CQuest™Bio ist eine PVC- und bitumenfreie Rückenkonstruktion, in der biobasierte und recycelte Füllstoffe verwendet werden. Einige der darin enthaltenen Materialien sind für sich betrachtet netto CO_2-negativ und reduzieren unseren CO_2-Fußabdruck maßgeblich.

FR

CQuest™Bio est notre nouvelle sous-couche pour dalles de moquette, sans PVC et sans bitume. Elle est fabriquée avec un bio-composite, mélange de matériaux bio-sourcés et recyclés au bilan carbone net négatif.

NL

CQuest™Bio is onze nieuwe vinylvrije, niet-bitumen tapijttegelbacking gemaakt van een bio-composiet met biobased en gerecyclede vulstoffen. Deze materialen, gemeten op een stand-alone basis, zijn netto CO_2-negatief.

ES

CQuest™Bio no contiene vinilo ni bitumen. Está fabricado con compuestos bio y rellenos orgánicos y reciclados. Estos materiales son negativos en emisiones de carbono.

ReEntry®

ReEntry
A NEW HOME FOR YOUR USED FLOOR

EN

Interface promises to take back our customers used flooring product (carpet tile, LVT and Rubber) and create further value with them in the most sustainable way.

DE

Wir geben Ihnen das Versprechen, Ihre gebrauchten Interface-Bodenbeläge zurückzunehmen und damit einen Mehrwert auf nachhaltigste Art und Weise zu schaffen.

FR

Interface s'engage à reprendre les revêtements de sol usagés de ses clients et à leur donner une deuxième vie de la façon la plus éco-responsable possible.

NL

Interface belooft onze gebruikte vloerproducten van klanten terug te nemen en creëert daarmee meerwaarde in de meest duurzame manier.

ES

Interface se compromete a (moqueta modilar, LVT y caucho) recuperar los pavimentos usados de nuestros clientes y crear valor a partir de ellos de la forma más sostenible.

Design Ideas

Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.



PRODUCT WG100 **COLOUR** TERRACOTTA **INSTALLED** MONOLITHIC
PRODUCT WG100 **COLOUR** LAGOON **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** STONE/TERRACOTTA **INSTALLED** DESIGN BY TILE
PRODUCT WG200 **COLOUR** STONE/LAGOON **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** STONE **INSTALLED** MONOLITHIC



PRODUCT WG100 **COLOUR** ALMOND **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** OYSTER/ALMOND **INSTALLED** DESIGN BY TILE
PRODUCT WG200 **COLOUR** SUNRISE/OYSTER **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** SUNRISE **INSTALLED** MONOLITHIC



PRODUCT WG100 **COLOUR** FOREST **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** CHARCOAL/FOREST **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** CHARCOAL **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** STONE/CHARCOAL **INSTALLED** DESIGN BY TILE
PRODUCT WG200 **COLOUR** PEARL/STONE **INSTALLED** DESIGN BY TILE
PRODUCT WG200 **COLOUR** PEARL/SAGE **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** SAGE **INSTALLED** MONOLITHIC



PRODUCT WG100 **COLOUR** OYSTER **INSTALLED** ASHLAR
PRODUCT WG200 **COLOUR** OYSTER/PEARL **INSTALLED** ASHLAR
PRODUCT WG100 **COLOUR** PEARL **INSTALLED** ASHLAR

Design Ideas

Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.



PRODUCT WG100 **COLOUR** OYSTER **INSTALLED** ASHLAR
PRODUCT WG200 **COLOUR** OYSTER/ALMOND **INSTALLED** ASHLAR
PRODUCT WG100 **COLOUR** ALMOND **INSTALLED** ASHLAR



PRODUCT WG100 **COLOUR** ROSE **INSTALLED** MONOLITHIC
PRODUCT WG100 **COLOUR** INK **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** INK/ROSE **INSTALLED** DESIGN BY TILE



PRODUCT WG200 **COLOUR** PEARL / SUNRISE **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** SUNRISE **INSTALLED** MONOLITHIC
PRODUCT LEVEL SET TEXTURED STONES **COLOUR** DISTRESSED CONCRETE **INSTALLED** NON DIRECTIONAL



PRODUCT WG100 **COLOUR** CHARCOAL **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** CHARCOAL/INK **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** INK **INSTALLED** MONOLITHIC
PRODUCT WG200 **COLOUR** INK/EMERALD **INSTALLED** DESIGN BY TILE
PRODUCT WG100 **COLOUR** EMERALD **INSTALLED** MONOLITHIC

Technical Specifications

WG100

Product Definition	Tufted Patterned Structured Loop Pile
Konstruktion	Tuftgemusterte strukturierte Schlingenqualität
Description	Moqueta modular tufting bucle estructurado con diseño
Type	Getufte gedessineerde gestructureerde bouclé
Descripción	Dalle de moquette à velours tufté bouclé structuré à motifs
Pile Material	100% Recycled Solution Dyed Nylon
Polfasermaterial	100% recyceltes Polyamid garngefärbt
Composition	Polyamide 100% recyclé teint en masse
Poolmateriaal	100% Solution Dyed Gerecycled Polyamide
Composición Fibra	100% Poliamida reciclada tintada en masa
Pile Yarn Weight / Poleinsatzgewicht / Poids de fibre / Poolinzetgewicht / Peso Fibra	780 g/m² ± 5%
Total Weight / Gesamtgewicht / Poids total / Totaalgewicht / Peso Total	4169g/m² ± 5%
Pile Height / Polschichtdicke / Hauteur de la fibre / Poolhoogte / Altura Fibra	3.1 mm +15% / - 10%
Total Thickness / Gesamtdicke / Epaisseur totale / Totale dikte / Espesor Total	6.8 mm ± 0.5 mm
Gauge/Ends 10 cm / Teilung x 10 cm / Jauge-Rangs par 10 cm / Rijen per 10 cm / Galga x10 cm	1/12– 47.2
Tufts per m² / Noppenzahl/m² / Densité du tuft par m² / Aantal noppen per m² / Puntadas m² /	184,080 ± 5%
Backing Type / Rückenkonstruktion / Sous-couche / Ruguitvoering / Soporte	CQuest™Bio
Wear Classification / Beanspruchungsklasse / Classement d'usage et de confort / Gebruiksintensiteit / Clasificación al tráfico	Heavy Contract (EN 1307) Class 33 / LC2
Radiant Panel /Schwerentflammbarkeit / Classement feu / De Radiant Panel Test / Clasificación Al Fuego	(EN ISO 9239-1) Euroclass Bfl s1 (EN 13501-1)
Dimensional Stability / Dimensionsstabilität / Stabilité dimensionnelle / Dimensionele stabiliteit / Estabilidad Dimensional	≤ 0.2% (EN 986)
Impact Sound Insulation (ΔL_w) / Trittschallverbesserungsmaß / Réduction du bruit d'impact / Contactgeluid absorptie / Impacto Aislamiento Acústico	27 dB (EN ISO 10140-3)
Rating of Sound Absorption / Gewichteter Schallabsorptionskoeffizient/ Coefficient d'absorption acoustique / Waarde geluidsabsorptie / Clasificación de Absorción de Sonido	α_w 0.20 (EN ISO 11654)
Sound Absorption / Schallabsorptionsgrad / Absorption acoustique / Geluidsabsorptie / Absorción de Sonido	

125Hz	**250Hz**	**500Hz**	**1000Hz**	**2000Hz**	**4000Hz**	(EN ISO 354)
-0.02	0.06	0.08	0.20	0.34	0.40	**α_s**

Style 4306 — 4m² - 16 tiles per box (50 x 50 cm ± 0.2%)



WG200

Product Definition	Tufted Patterned Structured Loop Pile
Konstruktion	Tuftgemusterte strukturierte Schlingenqualität
Description	Moqueta modular tufting bucle estructurado con diseño
Type	Getufte gedessineerde gestructureerde bouclé
Descripción	Dalle de moquette à velours tufté bouclé structuré à motifs
Pile Material	100% Recycled Solution Dyed Nylon
Polfasermaterial	100% recyceltes Polyamid garngefärbt
Composition	Polyamide 100% recyclé teint en masse
Poolmateriaal	100% Solution Dyed Gerecycled Polyamide
Composición Fibra	100% Poliamida reciclada tintada en masa
Pile Yarn Weight / Poleinsatzgewicht / Poids de fibre / Poolinzetgewicht / Peso Fibra	780 g/m² ± 5%
Total Weight / Gesamtgewicht / Poids total / Totaalgewicht / Peso Total	4169g/m² ± 5%
Pile Height / Polschichtdicke / Hauteur de la fibre / Poolhoogte / Altura Fibra	3.1 mm +15% / - 10%
Total Thickness / Gesamtdicke / Epaisseur totale / Totale dikte / Espesor Total	6.8 mm ± 0.5 mm
Gauge/Ends 10 cm / Teilung x 10 cm / Jauge-Rangs par 10 cm / Rijen per 10 cm / Galga x10 cm	1/12– 47.2
Tufts per m² / Noppenzahl/m² / Densité du tuft par m² / Aantal noppen per m² / Puntadas m² /	184,080 ± 5%
Backing Type / Rückenkonstruktion / Sous-couche / Ruguitvoering / Soporte	CQuest™Bio
Wear Classification / Beanspruchungsklasse / Classement d'usage et de confort / Gebruiksintensiteit / Clasificación al tráfico	Heavy Contract (EN 1307) Class 33 / LC2
Radiant Panel /Schwerentflammbarkeit / Classement feu / De Radiant Panel Test / Clasificación Al Fuego	(EN ISO 9239-1) Euroclass Bfl s1 (EN 13501-1)
Dimensional Stability / Dimensionsstabilität / Stabilité dimensionnelle / Dimensionele stabiliteit / Estabilidad Dimensional	≤ 0.2% (EN 986)
Impact Sound Insulation (ΔL_w) / Trittschallverbesserungsmaß / Réduction du bruit d'impact / Contactgeluid absorptie / Impacto Aislamiento Acústico	27 dB (EN ISO 10140-3)
Rating of Sound Absorption / Gewichteter Schallabsorptionskoeffizient/ Coefficient d'absorption acoustique / Waarde geluidsabsorptie / Clasificación de Absorción de Sonido	α_w 0.20 (EN ISO 11654)
Sound Absorption / Schallabsorptionsgrad / Absorption acoustique / Geluidsabsorptie / Absorción de Sonido	

125Hz	**250Hz**	**500Hz**	**1000Hz**	**2000Hz**	**4000Hz**	(EN ISO 354)
-0.02	0.06	0.08	0.20	0.34	0.40	**α_s**

Style 4307 — 4m² - 16 tiles per box (50 x 50 cm ± 0.2%)



Light Values

Product	Colour No	Colour Name	L Value*	Y Value*
Woven Gradience - WG100	4306001	Ink	29.7	6.1
	4306002	Charcoal	37.0	9.5
	4306003	Stone	48.4	17.1
	4306004	Pearl	58.5	26.5
	4306005	Rose	32.8	7.5
	4306006	Emerald	27.9	5.4
	4306007	Ocean	28.2	5.5
	4306008	Forest	34.6	8.3
	4306009	Terracotta	36.3	9.1
	4306010	Lagoon	40.7	11.7
	4306011	Sage	49.1	17.7
	4306012	Sunrise	56.3	24.2
	4306020	Shade	49.3	17.8
	4306021	Elephant	43.5	13.5
	4306022	Oyster	62.1	30.5
	4306023	Almond	53.3	21.4
	4306024	Mocha	42.5	12.8
Woven Gradience - WG200	4307001	Charcoal/Ink	33.9	8.0
	4307002	Stone/Charcoal	43.4	13.4
	4307003	Pearl/Stone	53.9	21.8
	4307004	Ink/Rose	31.8	7.0
	4307005	Ink/Emerald	28.8	5.8
	4307006	Charcoal/Ocean	34.2	8.1
	4307007	Charcoal/Forest	36.1	9.1
	4307008	Stone/Terracotta	42.1	12.6
	4307009	Stone/Lagoon	43.8	13.7
	4307010	Pearl/Sage	54.0	22.0
	4307011	Pearl/Sunrise	57.6	25.5
	4307020	Sage/Shade	49.3	17.9
	4307021	Shade/Elephant	46.8	15.9
	4307022	Oyster/Shade	57.0	25.0
	4307023	Sunrise/Oyster	60.5	28.7
	4307024	Oyster/Pearl	59.7	27.8
	4307025	Oyster/Almond	58.3	26.3
	4307026	Almond/Mocha	48.7	17.4

* **Light Value:** L Value = L according to CIE L*a*b* colour space, Y Value = Light Reflectance Value according to BS 8493

Lichtreflexionswerte: L-Wert = L gemäß CIE L*a*b* Farbspektrum, Y-Wert = Lichtreflexionswert gemäß British Standard BS 8493

Valeurs concernant la lumière: Valeur L = L faisant référence à la méthode CIE L*a*b* pour la couleur , Valeur Y = Valeurs de réflectance de la lumière selon le British Standard BS 8493

Licht waarden: L Waarde = L volgens CIE L*a*b*kleurruimte, Y Waarde = Licht Reflectie Waarde volgens BS 8493

Valores de Reflectancia de Luz: Valor L= L según CIE L*a*b* espacio de Colour, Valor Y = Valor de reflectancia de luz según el estándar británico BS 8493

EN Interface European Manufacturing BV reserves the right to change or modify specifications. Please see website for latest specifications. We have tried our very best to accurately represent product colours. However, due to the nature of printed materials, colour of actual products may vary slightly. Please request a sample to see actual product colour.

DE Interface European Manufacturing BV behält sich das Recht vor, Produktspezifikationen zu ändern oder entsprechend anzupassen. Die aktuellsten technischen Spezifikationen finden Sie auf unserer Website. Wir versuchen die Farben so naturgetreu wie möglich wiederzugeben. Farbabweichungen lassen sich jedoch nicht ausschließen. Bitte forden Sie ein Muster an, um sich von der tatsächlichen Farbe zu überzeugen.

FR Interface European Manufacturing BV se réserve la possibilité de modifier les caractéristiques ci-dessus. Les caractéristiques techniques à jour sont consultables sur le site internet. Les couleurs présentées se rapprochent au maximum des Coloris réels. Toutefois, les procédés d'impression des matériaux peuvent entrainer une légère variation du Coloris. Merci de demander un échantillon pour constater la couleur des produits.

NL Interface European Manufacturing BV behoudt zich het recht voor de specificaties te allen tijde aan te passen. Zie de website voor de nieuwste specificaties. Wij hebben getracht de productkleuren zo goed mogelijk te reproduceren. De kleuren van geprint materiaal kunnen echter altijd enigszins afwijken. Vraag altijd stalenmateriaal aan om de daadwerkelijke kleur te beoordelen.

ES Interface European Manufacturing BV se reserva el derecho a modificar las especificaciones arriba referenciadas. Por favor, consulta nuestra web para ver las últimas especificaciones. Hemos intentado representar con la máxima precisión posible los Colores del producto. Sin embargo, debido a la naturaleza de los materiales impresos, el Color de los productos reales puede variar ligeramente. Por favor, solicita una muestra para ver el Colour real del producto.

Europe, Middle East & Africa

AE	+971 44508175
AT	+43 1 8102839
BA	+387 33 522 534
BE	+32 2 475 27 27
BG	+359 2 808 303
BY	+375 17 226 75 14
CH	+41 44 913 68 00
CZ	+42 0 233 087 111
DE	+49 2151 3718 0
DK	+45 33 79 70 55
EE	+372 6518 313
ES	+34 932 418 750
EG	+(202) 3760 7818
FR	+33 1 58 10 20 20
GR	+30 211 2120820
HR	+385 14 62 30 63
HU	+36 1 349 6545
IE	+353 1 679 8466
IL	+972 97403034
IT	+39 02 890 93678
KZ	+7 701 391 88 13
LT	+370 37 337332
LV	+371 672 18 744
NL	+31 33 277 5555
ME	+381 11 414 92 00
MK	+389 2 323 01 89
NO	+47 23 12 01 70
PL	+48 22 862 48 40
PT	+351 217 122 740
RO	+40 21 317 12 40/42/43/44
RS	+381 11 414 92 00
SA	+966 554622263
SE	+468 241 230
SK	+421 911 104 073
SI	+386 8 205 4007
TR	+ 90 212 248 97 77
UA	+38(044)238 27 67
UK	+44 (0)800 3134465
ZA	+27 11 608 4270

www.interface.com

BROMIXDZZA038 09/2025