


## DAF NGD BUMPER SPOILER INSTALLATION GUIDE



THE BUMPER SPOILER COMES WITH FIXED MOUNTING LIPS






REMOVE THE PLASTIC TRIM PART FROM UNDER THE STEPS.







BRING THE SPOILER INTO POSITION, MOVING IT UP AND IN, THEN FIX THE 4 SCREWS INTO THE AERODYNAMIC UNDERTRAY





FIRST TEST FIT THE BUMPER SPOILER BEFORE PAINTING. PAINTED RETURNS WILL NOT BE ACCEPTED. THE BUMPER SPOILER IS MOUNTED ON FIXING POINTS AND CAN BE REMOVED AT ANY TIME. THE ORIGINAL UNDERTRAY BOLTS GET REPLACED BY LONGER BOLTS.

THE BOX CONTENT IS:

- BUMPER SPOILER
- 10 BOLTS AND WASHERS
- 4 SUPPORT BRACKETS FOR POSITION 1,2, 9 AND 10
- 8 SCREWS TO FIX L BRACKETS IN AERODYNAMIC UNDERTRAY

THE MOUNTING DIFFICULTY RATING FOR THIS PRODUCT IS EXPERT AND REQUIRES 2 PEOPLE.

Questions? Please e-mail us: [service@go-in-style.nl](mailto:service@go-in-style.nl)