

Motorbike 4T Shooter

Description

Removes deposits from the fuel system, valves, spark plugs and the combustion chamber while preventing new deposit formation. Improves engine performance and lowers emissions. Provides corrosion protection throughout and prevents carburetor icing.

Properties

- good corrosion protection
- environmentally friendly
- for carburetor and fuel-injection engines
- ideal with catalytic converters
- normalizes fuel consumption and exhaust emissions
- reduces residue
- optimizes engine performance
- highly economical
- increases operational reliability

Technical data

Base	additive mixture in liquid carrier
Color / appearance	light yellow, clear
Regulation on Flammable Liquids Class (Germany)	A II
Flash point	>61 °F
Pour point	-49 °F
Form	liquid
Odor	characteristic
Viscosity at 104 °F	<7 mm ² /s
Density at 59 °F	0,765 g/cm ³

Areas of application

Suitable for all 4-stroke gasoline engines. Safe with catalytic converters.

Comment


⚠ WARNING: Cancer- www.P65Warnings.ca.gov

Application

Contents (80 mL) is sufficient for 5–10 Liters (1.3 gal. to 2.6 gal.) gasoline. Add at every fill-up.

Available pack sizes

80 ml Can sheet metal 20142
USA-EN



Available pack sizes

80 ml Can sheet metal 20348
CANADA-EN-F

Our information is based on thorough research and may be considered reliable, although not legally binding.